

MOUNT FOR ATTACHING LASER AIMING DEVICE TO GOLF PUTTER

Field of the Invention

5 The present invention relates to laser aiming devices for a golf club, more particularly to a mount for attaching a laser aiming device to a golf club.

Background of the Invention

10 Laser aiming device for a golf putter is an important training tool for golf putting. By a suitably aligned laser beam emitted from the aiming device, a golf player learns to aim at a laser mark on a golf ball during a stroke so as to learn the right body movement.

Referring to Fig.1, a laser aiming device on the shaft of a golf putter
15 according to U.S. Pat. No. 6,602,145 B1 to Yeh comprises a bracket a, a laser emitting device set b and one or two covers c. The covers c are attached onto the bracket a by a plurality of screws c1. The bracket a, made by injection molding or punching molding, is provided with a straight groove a1 compatible with a golf-club shaft, a recess a2 for housing a
20 battery, a switch b1, a large hole a3 and a small hole a4 for housing a laser emitting device b2 and a plurality of screw holes a5. The screw holes a5 on the back side of the covers c, corresponding to screw holes a5, are tapered inwardly so as to conceal the heads of the screws c. The shaft of a golf putter 10 is coupled with the straight groove a1 of the bracket a, with a
25 rubber pad all sandwiched therebetween. The screws c go through the tapered screw holes c2 and screw holes a5, so that the covers c, the golf putter 10 and the bracket a are bound together.

The mounting of the prior art on a golf putter 10 is shown in Fig.2. This conventional laser mount is disadvantageous in that a suitable screw driver
30 is needed to mount on or dismount from a golf putter. And, it also costs significant time to assemble, therefore presenting an inconvenience to a

golf play.

Summary of the Invention

Accordingly, the primary object of the present invention is to provide a
5 mount for attaching a laser aiming device to a golf putter. The mount is
characterized by a sliding recess formed on a lateral side thereof for
attaching a golf-club holder. The golf-club holder is a plate made of an
elastic material folded into a flat portion for being embedded into the
sliding recess and a circular portion for grasping a golf club shaft. A laser
10 aiming device can be easily and swiftly locked on the mount. The inner wall
of the circular portion of the golf-club holder is provided with rubber pads,
and the opening of the golf-club holder, which is at the outer side of the
circular portion, is provided with a retaining screw. The rubber pads and the
retaining screw fix the golf-club holder firmly on a golf putter, immovable
15 even when a golf player wields fiercely.

The various objects and advantages of the present invention will be
more readily understood from the following detailed description when read
in conjunction with the appended drawings.

Brief Description of the Drawings

Fig.1 is an exploded perspective view of a laser aiming device on the
shaft of a golf putter according to the prior art.

Fig.2 is a perspective view of a laser aiming device on the shaft of a
golf putter according to the prior art, when mounted on a golf putter.

25 Fig.3 is an exploded perspective view of a mount for attaching a laser
aiming device to a golf putter according to the present invention.

Fig.4 is a perspective view of a mount for attaching a laser aiming
device to a golf putter according to the present invention.

Fig.5 is a perspective view of a mount for attaching a laser aiming
30 device to a golf putter according to the present invention, when mounted on
a golf putter.

Detailed Description of the Preferred Embodiments

Referring to Fig.3, a mount for attaching a laser aiming device to a golf
5 putter according to the present invention comprises a laser bracket a and a
golf-club holder d. The laser bracket a is for housing a laser aiming device
and is provided with a sliding recess a8, which is formed on a lateral side of
the laser bracket a. The sliding recess a8 has an opening tapered off
upwardly. The golf-club holder d has a hollow flat portion d5 for being
10 embedded into the sliding recess a8 on the laser bracket a and a hollow
circular portion d3 for holding the shaft of a golf putter 10. The hollow flat
portion d5 is communicated to the hollow circular portion. Thereby, the
laser bracket a can be fastened together with the golf-club holder d as the
flat portion is inserted and slid along the sliding recess a8. The inner wall
15 of said circular portion of said golf-club holder d is provided with at least
one non-slip rubber pad d1, and the outer side of the circular portion of the
golf-club holder d is provided with a retaining screw d2. The rubber pad d1
and the retaining screw d2 enhance the grip of the golf-club holder d on the
golf putter 10.

20 Referring to Fig.4 and 5, the circular portion d3 of the golf-club holder
d can be coupled with the shaft of the golf putter 10. The diameter of the
circular portion d3 is substantially that of the golf putter 10, and therefore it
can stably hold the golf putter 10. The opening d4 of the golf-club holder d
is further provided with a retaining screw d2 for adjusting the strength of
25 the grip of the circular portion d3 on the golf putter 10. The laser bracket a,
carrying a laser aiming device, is coupled with the golf-club holder d so
that the laser aiming device is mounted on a golf putter 10. It is realized by
the flat portion d5 of the golf-club holder d being inserted into the bottom
entry of the sliding recess a8. As the flat portion d5 slides along the sliding
30 recess a8, the tapered structure of the sliding recess a8 secures the golf-club
holder d eventually. To operate in a reverse way, the laser bracket a can be

easily taken off the golf-club holder d, thereby the laser aiming device is decoupled from a golf putter 10.

5 The present invention is thus described, and it will be obvious that the same may be varied in many ways. Such variations are not to be regarded as a departure from the spirit and scope of the present invention, and all such modifications as would be obvious to one skilled in the art are intended to be included within the scope of the following claims.